



Model DSN-10

Nebula Tripod Turnstile

DSN-10 is a tripod turnstile product in the Daosafe Nebula series, with the following advantages:

- The primary feature is its single-person passage design, allowing only one individual to pass through at a time.
- Constructed with a solid-body structure, the crate combines brushed stainless steel, high-end black powder coating, and side-mounted tempered glass, ensuring exceptional sturdiness.
- Featuring a unique classic design, LED strips are seamlessly embedded in various parts of the case, making it modern and stylish.
- Ideal for installation in any high - end and elegant scenario, leaving a strong impression.

Features

- Two way or one way working.
- 304/316 stainless steel material.
- Support integrated with any type of access control systems.
- Lower power consumption.
- Low noise, system runs smoothly.
- Blue, green and red LED indicator display passing status.
- Anti-tailing function: only one person passes at one time.
- Fire safety requirements, arms drop down automatically.
- Easy to install and maintain.
- 3 years warranty support.

Customized Service


- Appearance color can be customized based on installation environment.
- Dimensions can be customized to meet your request.
- Logo can be customized.
- Reader mount space can be customized.
- Waterproof outdoor can be customized.
- Picture: high resolution and 3D renderings pictures can be customized.




Logo Custom




LED Indicator



Single/Bi-directional Selectable



Arms Drop Down for
Fire Safety Requirements



Anti-tailing Function: one person can pass at one time

Access Control System

Daosafe turnstile gates can be well integrated with any 3rd party access control systems



Card Solution



QR/Bar Code Solution



Biometric Solution



Remote Control



Touchless Button



Card



QR Code



Fingerprint




Face



Palm Vein

4 lanes DSN-10 with card solution installed at school






Specifications

Model No.	DSN-10
Type	Nebula Tripod Turnstile
Brand	Daosafe
Certifications	Compliance CE, ROHS, FCC
Framework Material	304 brushed stainless steel+ High end black powder coated
Arm Material	304 stainless steel
Dimension	1600(L)*150(W)*980(H)mm
Net Weight	75kg/pcs
Passage Width	550mm (arm 500mm)
Passing Direction	Single directional/Bi-directional
MCBF	10 million
Power Supply	AC220V/110V, 50/60Hz
Operation Voltage	24V DC
Power Consumption	40W
Operation Temperature	-20 ~ 75°C (can be customized)
Operation Humidity	0 ~ 95% (No freeze)
IP Level	IP54 (standard)/IP65 (can be customized)
Working Environment	Indoor/Outdoor (can be customized)
Flow Rate	35 people per minute
LED Indicators (Strips)	Blue color: power on, green color: entry, red color: no entry
Card Reader Mount	Under the top of the cabinet Max. dimensions: 140(L)*60(W)*25(T)mm (can be customized)
Communication	Dry contact, Relay signal, RS485
Emergency	Arms will drop down automatically
Flexibility	Integrate with any access control

Dimensions

Parameter	Standard	Recommended (disabled)	Maximum	Note
Passage Width	550mm	/	/	If need 900mm disabled lane, Nebula series DSN-20 or DSN-70 is optional.
Arm Width	500mm	/	/	



Lane Solution



One Lane



Two Lanes



Two Lanes with Disabled Access

3 lanes DSN-10 and DSN-20 disabled lane installed at office



Working with DSN-20
Swing Turnstile

4 lanes DSN-10 and DS8000 disabled lane installed at gallery



Working with DS8000
Cylinder Speed Gate